



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



Case Vehicle (A): 1999 Mercury Type: Sable GS, 4-door sedan Driver: 45-year-old female

CDC: 12-FCEW-4

SITUATION

(Slide 1) It was dark, there were no streetlights, and the sky was clear, when (slides 2 and 3) case vehicle (A) was traveling north at an unknown speed on a two-lane asphalt road that was dry, but had recently been resurfaced with pea gravel. (Slide 4) The driver of case vehicle (A) reportedly lost control of the vehicle due to the loose pea gravel, and the right-front tire exited the east edge of the road surface. (Slide 5) Case vehicle (A) continued on 18 meters and (slide 6) the left-front tire exited the east edge of the road surface. (Slide 7) Case vehicle (A) went another 11 meters before striking a 49-cm diameter tree with its center front. The female driver exited the vehicle with assistance from a passerby. She was transported by ambulance to a regional level-one trauma center and was hospitalized for six days. A blood test revealed an alcohol level of .20 percent upon arrival at the trauma center.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slides 8 and 9) Damage to case vehicle (A) was severe. (Slide 10) Direct damage began 48 cm to the right of the left bumper corner and extended 49 cm to the right. The maximum crush was 75 cm to the left-center bumper.

Using the WinSMASH accident-reconstruction program and (slides 11, 12, 13, 14, 15 and 16) a crush profile¹ measured at the front of case vehicle (A), the following impact severity was calculated:

		Calculated Velocity Change - kph (mph)				
Vehicle	Variable	Total	Longitudinal	Latitudinal		
Case Vehicle (A)	delta V	47 (29)	-47 (-29)	0 (0)		

¹ The left half of the plastic bumper cover was deflected far forward of the bumper support and had to be pulled rearward and tied so that c-values could be measured. There was still a gap between the plastic bumper cover and bumper support, so 12 cm was added to C1 and C2, and 2 cm was added to C3 to reflect an accurate crush profile.

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

In the front, (slide 17) the bumper was damaged and bowed upward, (slide 18) and the center portions of the grille, the hood, and engine compartment were crushed rearward. (Slides 19 and 20) Both hood hinges were damaged, but not separated. (Slide 21) The rear edge of the hood was elevated, and it contacted and penetrated the (slide 22) lower-right and (slide 23) lower-left corners of the windshield. The holes were made larger due to heating from the sun. (Slide 24) The engine was pushed rearward into the cowl.

(Slide 25) On the right side, the fender, the upper and lower portions of the A-pillar, and the roof siderail were damaged. (Slide 26) The right-front door remained closed during the impact, but would not close at the time of the vehicle inspection. The right-side exhaust system was displaced downward and to the right, and (slide 27) the right wheelbase was reduced 17 cm.

(Slide 28) On the left side, the fender and the lower A-pillar were deformed. (Slide 29) The left-front door remained closed during the impact, but would not close at the time of the vehicle inspection. (Slide 30) There was no significant change in the left wheelbase.

(Slide 31) There was no damage to the rear of the vehicle.

Interior

This vehicle was equipped with steering-wheel and passenger frontal-impact airbags, and (slides 32 and 33) they both deployed. (Slide 34) The portion of the passenger airbag fabric nearest to the windshield was holed and cut by broken glass, and (slide 35) some fabric was lodged in the windshield header seam. (Slide 36) The right half of the upper flap of the driver airbag cover was slightly deformed, (slide 37) but there was no damage to the lower flaps/covers of the steering-wheel airbag module. (Slide 38) The flap/cover of the passenger airbag module was deformed and scuffed, and (slide 39) the windshield was cracked due to contact by the airbag module cover. (Slides 40 and 41) The right half of the steering-wheel rim was deformed forward 5 cm, (slide 42) and the spokes were severely bent. There was no apparent displacement of the steering column. (Slide 43) There was no damage to the driver door. (Slide 44) The brake, gas, and parking-brake pedals were deflected to the left. (Slide 45) The lower instrument panel/knee bolster was deformed. (Slide 46) The rearview mirror was cracked on the left half of the mirror.

(Slide 47) The center instrument panel was damaged, and the climate control knob was scuffed. (Slide 48) The glove compartment was deformed and would not close. (Slide 49) There was no damage to the right-front door, (slide 50) but there were blood stains on the rear portion of the interior surface. (Slide 51) The driver seatback was deflected slightly to the left. (Slides 52) The fixed rear-seat seatback was completely separated out of its (slide 53) brackets during the impact (slides 54, 55, 56 and 57) and cargo in the trunk and rear-seat area, which included bowling balls, golf clubs and bags, carpet samples, and briefcases, moved forward during the frontal impact. The following intrusions were noted and measured:

L	ocation	Component	Distance (cm)	Direction
left front	(slides 58 & 59) (slide 60)	toepan below right knee contact toepan below left knee contact knee bolster at left knee contact	22 8 4	to rear to rear to rear
center front	(slide 61)	center instrument panel	8	to rear
right front	(slide 62)	toepan	27	to rear
		knee bolster	8	to rear

OCCUPANT KINEMATICS AND INJURIES

(Slide 63) The 5-ft, 7-in, 165-lb, 45-year-old female driver was <u>not</u> wearing the three-point belt, (slide 64) but the frontal-impact airbag deployed. There were no witness marks on the plastic Dring. (Slide 65) The driver seat was in a mid seat-track position with the seatback slightly reclined. (Slide 66) The driver was wearing sandals at the time of the crash.

On impact, the driver moved forward and slightly to her right. (Slide 67) Her left knee contacted the knee bolster, as evidenced by damage to the left knee bolster, and (slide 68) her right knee contacted the area between the right knee bolster and the steering column. She sustained an open right patella fracture with complete disruption of the patellar tendon from this contact. She apparently rolled off the airbag to the right and struck the center instrument panel with her right arm, shoulder, and the right side of her torso (slides 69, 70, 71 and 72), as evidenced by deformation to the right half of the steering wheel, and scuff marks on/and damage to, the center instrument panel. She sustained fractures to the lateral aspect of her left 6th through 8th ribs and a pneumothorax, possibly from chest contact by the airbag or with the steering-wheel rim. She sustained lacerations to her right forearm, hand and fingers, possibly due to contact with the center instrument panel, or possibly from broken glass during her semi-assisted extrication from the vehicle. She sustained bilateral eyelid contusions and a laceration to the left eyebrow, probably from contact by the airbag. She sustained a contusion to the lateral aspect of her left

upper arm and lacerations to the fingers on her left hand possibly from the airbag flinging her upper arm and hand into the driver door. She sustained a displaced fracture to her right medial malleolus, probably due to eversion of her right ankle when (slide 73) her foot slipped off the brake pedal. She also sustained a circular contusion to the posterior aspect of the left shoulder, possibly from contact with loose interior objects from the trunk and rear-seat area.

The following table and attached drawing (slide 74) summarize the injuries sustained by the driver of case vehicle (A).

Occupant: Driver Age: 45 years
Restraints: 3-point belt *not* worn; frontal-impact airbag deployed Stature: 170 cm (5 ft, 7 in)

Gender: Female Mass: 75 kg (165 lb)

			Injury Source			
Injury Description	A.I.S.	Definite	Probable	Possible		
Laceration, left eyebrow	1		Airbag			
Contusion, left eyelid	1		Airbag			
Contusion, right eyelid	1		Airbag			
Fractures, lateral aspect of left ribs 6-8 with pneumothorax	3			Steering-wheel/airbag		
Circular contusion, posterior aspect of left shoulder	1			Interior loose object		
Contusion, lateral aspect of left upper arm	1			Driver door interior (airbag fling)		
Lacerations, right forearm	1			Center instrument panel/ broken glass		
Lacerations, right hand and right fingers	1			Center instrument panel/ broken glass		
Lacerations, left fingers	1			Driver door interior (airbag fling)		
Open fracture, right patella	2	Knee bolster/steering column				
Complete disruption of right patellar tendon	2	Knee bolster/steering column				
Displaced fracture, right medial malleolus	2		Brake pedal	,		
Maximum A.I.S. Level	3					
Injury Severity Score	14					

Duplicate columns 1-8 Module G I Format (from the previous card.	0 2	GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION	ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE		
HOUR OF COLLISION			33
(24 HOUR CLOCK) 21 24		ROAD ALIGNMENT VERTICAL PLANE	
LOCATION		(1) LEVEL (2) CREST OF HILL (3) SLOPE <i>(2%)</i>	1
STATE:		(4) BOTTOM OF HILL (9) UNKNOWN	34
STATE FIPS CODE	25 26	ROAD ALIGNMENT HORIZONTAL PLANE	
AREA		(1) STRAIGHT (2) CURVE	
(1) URBAN (2) RURAL (9) UNKNOWN	2-27	(3) T - SHAPED (4) Y - SHAPED (7) OTHER: (9) UNKNOWN	35
ENVIRONMENTAL CONDITIONS		SURFACE COVERING	10
LIMITED-ACCESS HIGHWAY (0) NO (1) YES	0	(10) DRY	36 37
(9) UNKNOWN ROAD, TOTAL TRAFFIC LANES	28	(21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN	
(FOR CASE VEHICLE)		(31) SNOW - LOOSE (32) SNOW - PACKED	
(1) 1-LANE (2) 2-LANES (3) 3-LANES	3/29	(39) SNOW - CONDITION UNKNOWN (41) ICE	
(4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY (7) OTHER:	29	(51) SLUSH (61) SPILLED GRAVEL (71) OTHER: (99) UNKNOWN	
(9) UNKNOWN		VISIBILITY LIMITATION (FOR CASE VEHICLE)	
INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR		(0) NONE	0
(8) NOT APPLICABLE	8	(1) CLOUDY/DARK (2) FOG (3) SMOKE	38
TYPE OF ROAD SURFACE		(4) WINDSHIELD CONDITION (5) GLARE (6) RAIN	
(1) ASPHALT (2) CONCRETE	7	(7) OTHER:	
(3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: Freshly (c-top ashralt) (9) UNKNOWN	31	VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)	
ROAD DEFECTS		(0) NONE (1) BUILDING	0
(0) NO		(2) SIGN (3) VEGETATION <i>(E.G. BUSHES, SHRUBS)</i> (4) TREE	39
(1) YES (9) UNKNOWN	<u>U</u> 32	(5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE (9) UNKNOWN	
		.,	

		GENERAL INFORMATION GI-2
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	40	MECHANICAL MALFUNCTION WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT (9) UNKNOWN
PRECIPITATION (0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6 5 TO 22 (2) -5 TO -1 23 TO 31 (3) 0 TO 2 32 TO 36 (4) 3 TO 5 37 TO 41 (5) 6 TO 15 42 TO 59 (6) 16 TO 25 60 TO 77 ~ (7) 26 TO 35 78 TO 95 (8) OVER 35 OVER 96 (9) UNKNOWN	0 41	THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS. BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER: COMMENTS:
CROSSWIND (0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN LIGHT CONDITIONS (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED (9) UNKNOWN	<u>J</u> <u>44</u>	

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT (0) NO (1) YES (9) UNKNOWN CASE VEHICLE ROLLOVER (0) NO ROLLOVER	<u> </u>	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE) (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN	3
(1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT)	48	DRIVER IMPAIRMENT DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE)	55
(0) NO (1) YES (9) UNKNOWN MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE	49	(0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER DRIVER ALCOHOL BAC (CASE VEHICLE)	
(0) NO (1) YES (9) UNKNOWN CASE VEHICLE AND CONTACTED STOPPED VEHICLE	50	(80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE?	2 O 57 58
(0) NO (1) YES (9) UNKNOWN STOPPED CASE VEHICLE AND CONTACTED VEHICLE	51	(0) NO (1) YES (9) UNKNOWN LIST IMPAIRMENTS MENTION	
(0) NO (1) YES (9) UNKNOWN TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH	52	Prugs - Not specific	
(8) 8 OR MORE (9) UNKNOWN ANY FIRE IN THIS CRASH	53	POST - CRASH DETAIL MANNER CASE VEHICLE LEFT SCENE (1) DRIVEN (2) TOWER DUE TO DAMAGE	2
(NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	<u></u> <u>3</u>	(2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN	60

diameter tree

Duplicate columns 1-8 Module O V Forma from the previous card.	t <u>0 4</u>	Отнев	VEHICLE	OV-1
MAKE:	BLE	CARGO:		
VIN			29	•
MANUFAC/BODY CODE	34	VEHICLE TYPE		
MAKE/MODEL CODE		PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR	V5. 1101 5 Dop.	56 57
MODEL YEAR		(20) UNKNOWN PASSENGER (24) SUB-MINI (25) MINI (26) SUB-COMPACT (27) COMPACT	VEHICLE BODY	
VEHICLE MASS (kg)	48	(28) INTERMEDIATE (29) FULL		
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER	-	MULTIPURPOSE PASSENGER VE (14) SMALL UTILITY (WHEELBAS E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBAS E.G. PANEL TRUCK, SUBURBAN)	E LESS THAN 107°, SE MORE THAN 107°,	
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN)	51	(16) PICKUP TRUCK WITH CANO (17) PICKUP CAR WITH CANOPYS (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE- (23) PICKUP CAR WITH SLIDE-IN ((31) CHASSIS-MOUNTED CAM	SHELL COVER -IN CAMPER CAMPER	
TRAVELING SPEED (km/h) (000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	54	TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL (16) PICKUP TRUCK WITH CANOF (22) PICKUP TRUCK WITH SLIDE- (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAM	TRUCK, SUBURBAN) PY/SHELL COVER IN CAMPER	
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	55	(33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILE (39) TRUCK (OR SEMI) & FULL TR BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN C) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS) (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCE	CALLER(S)	
		(99) UNKNOWN WHEELBASE (cm) (999) UNKNOWN		58 59 60

Duplicate columns 1-8 from the previous card.	Module <u>Q</u>	V Format	0 2	0	THER V	/EHI	CLE	OV	-2
		OF	RIGINAL SF	PECIFICATIONS					
Wheelbase	***************************************	cm		Front Overhang				_ cm	
Curb Weight		k	g	Rear Overhang	22			_ cm	
Average Track Width	, 1	cm		Undeformed End Width (U	25 IE\ \ /\		27		
_	13	15		·	28		30		
Overall Length	16	cm		Engine Displacement	31	- •	32	L	
Overall Width (OAW)	19	cm		Engine: # of Cylinders	33		4		
	***		VEHICLE	DAMAGE					
•		.							
		NO	TAPPLI	CABLE					

FRONTAL CRA	SH OVERLAP	
Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A.	Direct Damage Length (DDL)	cm
Front-End Overlap (Percent) = DDL UEW		% , 38 39
Vehicle Overlap (Percent) = <u>DDL + 1/2 (OAW - UEW</u> OAW)	<u> </u>

Duplicate columns 1-8 from the previous card. Module V D Format 0 11		VD-1
MAKE: Mencuny	CARGO: Sports equipment, 9	Roserie
MODEL: SAble 65, 4-door see	dan cappet samples etc.	
VIN $\frac{1}{13}$ $\frac{M}{E}$ $\frac{F}{F}$ $\frac{M}{5}$ $\frac{5}{6}$	OS4XG	29
MANUFAC/BODY CODE $\frac{1}{30}$ $\frac{2}{2}$ $\frac{2}{2}$ $\frac{2}{3}$	STOLEN VEHICLE	
MAKE/MODEL CODE 095	9 (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	<u>8</u>
MODEL YEAR	9/42	
VEHICLE MASS (kg) $O O I Y$	BODY STRUCTURE	
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC) 49	54 (4) BODY & PLATFORM FRAME	63
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN)	(E.G. VW BUG) (5) PARTIALLY UNITIZED (7) OTHER: (9) UNKNOWN	
TRAVELING SPEED (km/h) 9 9	9 (5)	
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRANSMISSION (0) NONE (1) AUTOMATIC (2) MANUAL (9) UNKNOWN	64
VEHICLE TYPE		
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR)	LOCATION OF TRANSMISSION SELECTOR LEVER	3
(12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR)	(2) CONSOLE	65
(13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON	(3) COLUMN (7) OTHER:	
(16) CONVERTIBLE (18) OTHER PASS, VEH. :	(9) UNKNOWN	
(19) PASSENGER VEHICLE, TYPE UNKNOWN		
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO)	STEERING	,
(22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN	(1) POWER (2) MANUAL	66
(24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME	(9) UNKNOWN	
TRUCK (31) PICKUP TRUCK UNKNOWN	BRAKES	
(31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED) (33) PICKUP TRUCK, LARGE	(1) POWER	1
(99) UNKNOWN	(2) MANUAL (9) UNKNOWN	67
	1	

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	<u>3</u>	WHEELBASE (cm) (999) Unknown
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN AIR CONDITIONING IN VEHICLE (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 70	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN DUAL REAR WHEELS (0) NO (1) YES (9) UNKNOWN ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED)	$\frac{2}{71}$ $\frac{0}{72}$ $\frac{3}{73}$	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY OUT- LINING NEW PERIMETER OF VEHICLE AND SHADING THE DAMAGED AREAS ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE. 3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR. 4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE.
(9) UNKNOWN EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	74	FRONT OR REAR ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL) SIDE

Duplicate columns 1-8 from the previous card. Module V D Format 0 2 9 10 11 12

VEHICLE DESCRIPTION

VD-3

ORIGINAL SPECIFICATIONS MVMA SPECS

276 cm Wheelbase

Front Overhang

 $\frac{1}{22} \frac{0}{24} cm$

Curb Weight

Rear Overhang

 $\frac{1}{25} \frac{2}{27} \frac{7}{27}$ cm

Undeformed End Width (UEW) $\frac{1}{28} \frac{50}{50}$ cm

507 cm Overall Length

Engine Displacement

 $\frac{3}{31} \cdot \frac{6}{32}$ L


Overall Width (OAW) 12 8 5 cm


Engine: # of Cylinders

06

VEHICLE DAMAGE

MEASUREMENTS IN CENTIMETERS





Width of direct contact to center front bumper

FRONTAL CRASH OVERLAP

DOES NOT INCLUDE BUMPER

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

0 4 9 cm (DRNG)

Front-End Overlap (Percent) = DDL UEW

99%

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW)

99%

Duplicate columns 1-8 from the previous card. Module D A 9 10	_Format <u>0 2</u>	DAMAGE DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	13	
IMPACT SPEED (km/h)	$\frac{9}{14} \frac{9}{15} \frac{9}{16}$	$\frac{9}{35} \frac{9}{36} \frac{8}{37}$
ESTIMATED BY	<u>/</u>	<u>8</u>
CRUSH (cm)	$\frac{0}{18} \frac{7}{19} \frac{5}{20}$	$\frac{9}{39} \frac{4}{40} \frac{8}{41}$
CDC #1	$\frac{1}{21} \cdot \frac{Z}{F} \cdot \frac{F}{C} \cdot \frac{E}{W} \cdot \frac{4}{27}$	9 8 · O O O O · D
CDC #2	9 8.00000.0	98.0000.0
Duplicate columns 1-8 Module D A from the previous card. 9 10	Format <u>0 3</u>	
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	13	
IMPACT SPEED (km/h)	14 15 16	35 36 37
ESTIMATED BY	17	38
CRUSH (cm)	18 19 20	39 40 41
CDC #1		42
CDC #2	28	49
Codes		
	IMPACT SPEED ESTIMATOR	CRUSH
(8) NOT APPLICABLE (9) UNKNOWN	(1) INVESTIGATOR (2) DRIVER (3) POLICE	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN
IMPACT SPEED (998) NOT APPLICABL (999) UNKNOWN	(4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM	(999) UNKNOWN CDC (9800000) NOT APPLICABLE (9900000) UNKNOWN

Module D A Format 0 1 12 DAMAGE Duplicate columns 1-8 from the previous card.

MAXIMUM SHEET METAL CRUSH

(999) UNKNOWN (cm)

DA-2

OTHER
$$\mathcal{O}_{28} \mathcal{O}_{30}$$

CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE

NOTE: IF CHRONOLOGICAL ORDER IS UNKNOWN, EVENT ORDER IS OPTIONAL.

DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER?

(0) NO (1) YES

EVENT NUMBER	IMPACT LOCATION (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN	IMPACT CONFIGURATION FOR CODES, SEE TABLE ON PAGE DA-3.	OBJECT/VEHICLE CONTACTED FOR CODES, SEE TABLE ON PAGE DA-4.
# 1	<u>4</u>	<u>17</u>	77 tree
#2	37	39	
#3	42	44	46
#4	47	 49	 51
#5	52		
#6	57		
#7	62	64	66
L			

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- OTHER (DESCRIBE)
- UNKNOWN (99)

PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE

WHEELBASE

SUB-MINI	< 2286 mm (< 90")
MINI	2286 - 2412 mm (90" - 94.9")
SUB-COMPACT	2413 - 2539 mm (95" - 99.9")
COMPACT	2540 - 2666 mm (100" - 104.9")
INTERMEDIATE	2667 - 2793 mm (105" - 109.9")
FULL	2794 - 2920 mm (110" - 114.9")
LARGE	2921 - 3174 mm (115" - 124.9")
LIMOUSINE	> 3175 mm (> 125")

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP
- (14) SMALL UTILITY (WHEELBASE LESS THAN 107*, E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107*, E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

BUS

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc
- (52) 76 125 cc
- (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 cc
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

- SPECIAL PURPOSE VEHICLE (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
 - (61) SNOWMOBILE
 - (62) ATV (ALL TERRAIN VEHICLE) (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
- (67) TRAILER, COMMERCIAL (CARGO) (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION
- (91) GUARD RAIL, MIDDLE OR UNKNOWN (92) GUARD RAIL, TRAILING SECTION (93) GUARD POST (TIMBER, METAL, CONCRETE)

- (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN) (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

	R Format 0 1 1 12		H RECONSTRUC or AV	TION CR-1
	CASE VEHICLE F	PRIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13	tnec	47	
ΔV (km/h) TOTAL	0 4 7	8	48 49 50	66 67 68
LONGITUDINAL	$\frac{-0}{17} \frac{47}{20}$	8 - 38	51 54	69 72
LATERAL* "NOTE: THESE ΔV COMPONENTS MUST INCLUDE SIGN. EXAMPLES: 10 km/h = $\pm Q \perp Q$ -7 km/h = $\pm Q \neq Z$	<u>+ 000</u>	8 - 42	55 58	73 76
ENERGY DISSIPATED BY CRUSH (kg)	<u>0</u> 1 3 9 28	43 46	59 62	77 — 80
RECONSTRUCTION (01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL (21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL NOT RECONSTRUCTED BECAUSE (02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT	2 7 30		63 64	
INSPECTED MODE (1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED COMPUTER PROGRAM SPECIFY: NUMBER 454	<u>Z</u> 31		65	

Duplicate columns 1-8
from the previous card

Module <u>C</u> <u>R</u> Format <u>0</u> <u>2</u> 11 12

CRASH RECONSTRUCTION for EBS

CR-2

	for EBS									
	CASE VEHICLE P	RIMARY IMPACT	CASE VEHICLE SECONDARY IMPACT							
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE						
EVENT NUMBER	13	THEE	47							
EBS (km/h) TOTAL	$\frac{0}{14} \frac{4}{15} \frac{7}{16}$	$\frac{9}{32} {33} {34}$	48 49 50	66 67 68						
LONGITUDINAL*	<u>-047</u>	$\frac{8}{35} = {}$ 38	51 54	69 72						
LATERAL* *NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	<u># 0 0 0</u>	8	55 — 58	73 76						
EXAMPLES: 10 km/h = ± <u>Q 1 Q</u> -7 km/h = <u>- Q Q 7</u>										
ENERGY DISSIPATED BY CRUSH (kj)	<u>0</u> <u>1</u> <u>3</u> <u>9</u>	8	59 62	77 - 80						
RECONSTRUCTION										
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL (21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL NOT RECONSTRUCTED BECAUSE (02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED	2 2 29 30		63 64							
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED COMPUTER PROGRAM SPECIFY: WINSTASI	2 31		- <u>-</u> -							

Duplicate columns 1-8 from the previous card.

Module <u>C</u> <u>R</u> Format <u>0</u> <u>3</u> 10 11 12

CRASH RECONSTRUCTION

CR-3

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_1$ TO C $_6$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.


CASE VEHICLE

LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
<u> </u>	48 cm Rt of Lt Ft BX	Ft bumpen BC to BL
		•



DL <u>49</u>

UDL _/0/

UEW=150

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other ____
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each	ine in the tab	le below is a	separate rec	ord (card).			umns 1 - 1	2 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.		Damage Max Crush	Field L	C ₁	C ₂	С3	C ₄	C ₅	C ₆	±D
}	,	49	77	119	18	19	37	62	58	45	+2
	Adjustment ton a page perween plastic bympen	1			+12	+12	+2				
	bumper				30	3)	35				
	Free space		-2		16	3	1	ı	3	14	
1	1	049	075	119	014	028	034	061	055	029	†00Z
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32		36 37 38	39 40 41	42 43 44 45
2											

Duplicate columns 1-8	
from the previous card	

Module C R Format 0 4

CRASH RECONSTRUCTION

CR-4

NOTES:

1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.

2. MEASURE ${\it C}_1$ TO ${\it C}_6$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

OTHER VEHICLE


LOCATOR

3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.

4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No. Location of Direct Damage		Location of Field L



DL _____

Duplicate columns 1 - 12 for each completed line.

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other_
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

NOTE: Each line in the table below is a separate record (card).

Duplicat

Specific Impact Number	Plane of Impact C-Measur.	Direct Length (DDL)	Damage Max Crush	Field L	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
1											
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
										5	
2							1				

Duplicate columns 1-8 Module W T from the previous card. 9 10		1 12	WHEELS AND TIRES WT-1
WHEELSDAMAGED (0) NO (1) YES (9) UNKNOWN	LF RF RR LR	O 13 O O O 16	SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF P 2 0 5 6 5 R 1 5 RF 3 RR
TIRE TREAD TYPE (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: (9) UNKNOWN	LF RF RR LR	4 4 4 -4 -4	LR <u>V</u>
CARCASS CONSTRUCTION (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN	LF RF RR LR	3 3 3 3	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEEL AND MAKE NOTES ON INNER WHEELS. NOTES:			

Duplicate columns 1-8 Module F T Format 6 from the previous card.	0 <u>1</u> 1. 12	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	21
MAIN TANK LOCATION	$\frac{3}{14} \frac{Z}{16}$	AUXILIARY TANK LOCATION	8 8 8 22 24
MAIN FILLER CAP LOCATION	1 3 7	AUXILIARY FILLER CAP LOCATION	<u>8</u> 8 8 27
MAIN TANK MATERIAL	8/20	AUXILIARY TANK MATERIAL	<u>\$</u>

TANK AND FILLER CAP LOCATION CODES

FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
 (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
 (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

TANK MATERIAL CODES

- (1) STEEL (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

Duplicate columns 1-8
from the previous card.

Module <u>F</u> <u>L</u> Format <u>0</u> <u>1</u> 12

FUEL LEAKAGE

FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

2

(1) YES <u>COMPLETE</u> PAGE.

	1	II	111	IV	V	_
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15	_				21
#2	22 23		-			29
#3	30 31		_			37
#4	38 39					45
#5	46 47					53

LEAKING COMPONENT

TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP)
- (19) TANK AREA, DETAILS UNKNOWN

DELIVERY SYSTEM

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

II COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8 Module F R Format C from the previous card. 9 10 1		FIRE	FR-1
WAS THERE FIRE IN (0) NO <u>SKIP</u> PAI (1) YES <u>COMPLE</u>	GE.	CASE VEHICLE?	
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17


PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 Module E D Format from the previous card. 9 10 1	1 EXTERIOR DAI	MAGE ED-1
HOOD PERFORMANCE FOR THE FOLLOWING, USE CODES:	STEERING COL FLEXIBLE (FLEXIBLE COUPLING TYPE (0) NONE	
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	(1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOV (CIRCLE EACH)	9 26
HOOD LATCH(ES)RELEASED	(7) OTHER:	
-DAMAGED	COUPLING-	-DAMAGED <u>9</u>
JAMMED	(USE CODES FROM HOOD PERFORMANCE)	-SEPARATED 9 (COMPLETE) 28
HOOD HINGESLEFT, DAMAGED	16	
-LEFT, SEPARATED (COMPLETE)	<u>O</u>	
-RIGHT, DAMAGED	ENG COMPART TELESCOP	ING UNIT
' -RIGHT, SEPARATED (COMPLETE)	18 O TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PA (88) NOT COLLECTED	GE ED-2 $\frac{8}{29} \frac{8}{30}$
HOOD REMAINED ON VEHICLE	(97) OTHER: (98) EQUIPPED, TYPE UNKNOWN IF EQUI	JNKNOWN
REAR EDGE OF HOODELEVATED	ORIGINAL LENGTH (mm)	
-CONTACTED WINDSHIELD	F (OR H):	
-PENETRATED WINDSHIELD	TELESCOPED LENGTH (mm)	
HOOD LATCH LOCATION	G:	
(1) FRONT OF VEHICLE (2) COWL AREA	DIFFERENCE (mm)	
(3) SIDE (8) NOT APPLICABLE	F (OR H) - G	
(9) UNKNOWN	(IF LESS THAN 15mm, ENTER *000	o*.)
Engine or Transmission Mount	(888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUN	$\frac{8}{31} \frac{8}{33} \frac{8}{33}$
SEPARATION (COMPLETE)	UNKNOWN (993) DEVICE EXTENDED	
(0) NO (1) YES (9) UNKNOWN	(997) UNABLE TO BE MEASU (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	

		Exterior Damage	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN	
-A-PILLAR, UPPER	\mathcal{O}_{35}	(8) NOT APPLICABLE <i>(NO DOOR)</i> (9) UNKNOWN	
LOWER	<u>4</u>	-FRONT -REAR	0 43 0 44
-B-PILLAR, UPPER	$\frac{\mathcal{O}}{37}$	DOORS JAMMED CLOSED-	
LOWER -C-PILLAR, UPPER	$\begin{bmatrix} \underline{O} \\ 38 \end{bmatrix}$	USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER	39 <u>O</u> 40	-FRONT	⊘ 45 ⊘ 46
-D-PILLAR, UPPER	8/41	-REAR	46
LOWER	<u>8</u>		V


		EXTERIOR DAMAGE	ED-3
		Other Rear Damage	
REAR DOOR REAR DOOR TYPE (0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE	<u>D</u>	WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u></u>
 (4) CLAMSHELL/DISAPPEARING TAILGATE (5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN 		SPARE TIRE (0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN	8 51
Hatchback One-way		COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (8) NOT COLLECTED (9) UNKNOWN	
Two-way or Clamshell		TRAILER HITCH TYPE (0) NO HITCH BALL-AND-SOCKET TYPES	<u>ठ</u>
Single door		 (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING) (4) LOAD EQUALIZING 	
Double door		OTHER TYPES	
HOW DID DOOR OPEN DURING COLLISION?		(5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL P/U) (7) OTHER (E.G. CLEVIS-AND-PIN)	
(0) DOOR DID NOT OPEN OPENED BECAUSE OF	0 48	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED	
(1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN DOOR JAMMED CLOSED		TRAILER TYPE (AT TIME OF COLLISION) (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER (5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	<u>O</u> 53
(0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	<u>0</u>		

		Exterior Damage I	ED-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	§ 54	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	<u>4</u> 55	(98) NOT APPLICABLE <i>(NO DOOR)</i> (99) UNKNOWN -FRONT	<u> </u>
-B-PILLAR, UPPER	56 D 57	-REAR	<u>O</u> <u>O</u> <u>65</u>
LOWER	58	DOORS JAMMED CLOSED- USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR)	
-C-PILLAR, UPPER	<u>O</u> 59	(9) UNKNOWN -FRONT	0 67
-D-PILLAR, UPPER	g	-REAR	68
LOWER	62	VAN REAR DOOR TYPE (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	69



Duplicate columns 1-8 from the previous card. Module S C Format 0 11		STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>2</u>	STEERING WHEEL POSITION AT TIME OF COLLISION IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED? EXAMPLES O'CLOCK = 1 2. O'CLOCK = 0 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	<u>닉</u>	(NORMAL STRAIGHT AHEAD) O'CLOCK . O'L	
STEERING WHL SPOKE DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	15	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA, 70 - 74 CHALLENGER, 70 - 74 CAPRI, 71 - 77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNI, 78 - HORIZON, 78 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	<u>Z</u>	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED ORIGINAL DIMENSION (mm)	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>O</u>	A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u></u> 8	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8

		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN			
ENERGY ABSORBING DEVICE		STEERING WHEEL (CONTINUED)	
TYPE OF DEVICE * (IF 27 OR 28)		STEEDING MUTEL LUID DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 24	STEERING WHEEL HUB DAMAGE (0) NONE (1) OCCUPANT CONTACT (2) AIRBAG	1 33
ORIGINAL LENGTH (mm)		(3) OTHER (9) UNKNOWN	
C:			
COMPRESSED LENGTH (mm) D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE)			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27	-	
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
LT:			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 30		
COLUMN VERTICAL ROTATION			
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	<u>O</u>		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	<u>Ø</u>		




1 = Definitely 2 = Probably 3 = Possible

						INI	TRUSION IT-1
		(All Me	eters)	Dominant			
Location of Intrusion	Intruded Component	Comparison Value	_	Intruded Value	=	Intrusion	Crush Direction
11	Toepan below right knee contact	136	_	114	=	22	Х
11	Toepan below left knee contact	106	_	101	=	5	Х
11	Instrument panel – left	66	_	62	=	4	X
11	Instrument panel above right knee contact	84	_	84	=	0	Х
12	Center instrument panel	80	_	72	=	8	X
13	Toepan	136		109	=	27	X
13	Instrument panel	80	_	72	=	8	Х

OCCUPANT CONTACT WORKSHEET

	Interior Component	Occupant No. if	Body Region		Confidence Level of
Contact	Contacted	Known	if Known	Supporting Physical Evidence	Contact Point
А	Knee bolster	DR	Lt. knee	Scuffed and dented	1
В	Knee bolster	DR	Rt. knee	Scuffed and dented	1
С	Steering wheel	DR	Chest	Scuffed and deformed	1
D	Airbag module cover	DR	Chest	Deformed	1
E	Roof	DR	Head	Mark	1
F	Climate control knob	DR	Rt. leg	Cloth imprint	1
G	Center instrument panel	DR	Rt. leg	Black mark and dented	1
Н	Gas and brake pedals	RF	Rt. leg	Deformed	1

VEHICLE OCCUPANT CONTACT DIAGRAM



A = knee bolster left - scuffed and dented

B = knee bolster right - scuffed and dented

C = steering wheel rim and spokes - scuffed and deformed

D = airbag module cover - deformed

E = roof - mark

F = climate control knob - cloth imprint

G = center instrument panel - black mark and dented

H = gas and brake pedals = deformed

CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.


(1)	LEFT	(3) RIGHT			INDIVIDUAL SEAT
(1)	LEFT	(2) CENTER	(3)	RIGHT	BENCH: FULL WIDTH 3 PASSENGER
(1)	LEFT	(2) LEFT CENTER	(6)	RIGHT (3) RIGHT	BENCH: FULL WIDTH 4 PASSENGER
(1)	LEFT	(2) CENTER	(5)	RIGHT &	BENCH: PARTIAL WIDTH, LEFT
(0)	LEFT & SPACE	(2) CENTER	(5)	RIGHT &SPACE	BENCH: PARTIAL WIDTH, CENTERED
(4)	ENTIRE \	/EHICLE WIDTH			CARGO AREA

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS

VAN 12 PASSENGER CAPACITY



CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS (FORE & AFT)

(Y) Y-AXIS (LATERAL)

(Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE (46) OTHER (E.G. SPARE TIRE.
- JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

USE ONLY IF <u>ALL</u> THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

- (50)WINDSHIELD HEADER A-PILLAR ROOF SIDE RAIL
- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL A-PILLAR WINDSHIELD HEADER
- (53)DOOR PANEL B-PILLAR ROOF RAIL
- (54)DOOR PANEL A-PILLAR ROOF RAIL
- (55)INSTRUMENT PANEL FLOOR PAN A-PILLAR DOOR FRAME
- (56)ROOF RAIL A-PILLAR B-PILLAR WINDOW FRAME
- (57)ROOF RAIL A-PILLAR B-PILLAR C-PILLAR DOOR PANEL
- (58)ROOF ROOF RAIL WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER ROOF C-PILLAR THIRD SEAT-BACK

- (60)ROOF
 ROOF RAIL
 A-PILLAR
 B-PILLAR
 C-PILLAR
 WINDOW FRAME
 DOOR PANEL
 FLOOR PAN
- (61)INSTRUMENT PANEL
 TOE PAN
 WINDSHIELD HEADER
 A-PILLAR
 ROOF RAIL
 WINDOW FRAME
 DOOR PANEL
 ROOF
- (62)ROOF
 ROOF RAIL
 C-PILLAR
 WINDOW FRAME
 FLOOR PAN
 SECOND SEAT
 DOOR PANEL
- (63)ROOF RAIL
 ROOF
 B-PILLAR
 WINDOW FRAME
 FLOOR PAN
 DOOR PANEL
 SECOND SEAT
 FRONT SEAT
- (64)ROOF RAIL
 ROOF OR CONVERTIBLE TOP
 A-PILLAR
 B-PILLAR
 WINDOW FRAME
 WINDOW HEADER
- (65)WINDSHIELD WINDSHIELD HEADER ROOF SIDE RAIL
- (66)WINDSHIELD WINDSHIELD HEADER A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

	e columns 1-		e <u> </u>					Inti	RUSION	IT-5
	•		9 10			1				_
WAS TH (0)		CUPANT COM OT ANSWER NE			_	13	WAS INTRUS (0) NO	ION CATAS COMPLETE PA		14
(1) Y		ER NEXT QUES						SKIP PAGE.		
	e columns 1-8 previous card		e <u>I</u> <u>T</u>	Format <u>0</u>	2 12					
NOTE: E	Each line in th	he table below	v is a sepa	arate record	(card). Du	plicate column	ns 1 - 12 for eac	h completed li	ine.	
	NTRUSIO	NS CODE IN	VTRUSIO	NS IN THIS	ORDER: LEI	FT TO RIGHT	ON ROW; FR	ONT TO BAC	K IN VEHICLE	s.
				F, G, H, I, J ON PAGE IT-4		IT-3 	OCCUPAN	T CONTACT A	AND INJURY	
Α	В	C	D ASSOC.	E MAXIMUM	F	G	Н	ı	J	к
INTRUSION NUMBER	OCC. SPACE NO.	COMPONENT OR OBJECT		INTRUSION	MAXIMUM INTRUSION Y AXIS (cm)		OCCUPANT NUMBER	INJURY NUMBER	OCCUPANT NUMBER	INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 1	1 1	03	_1	22	00	00	00	00	00	00
0 2	1 1	03		05	00	00	00	00	<u>00</u>	00
<u>0</u> <u>3</u>	11	01	_1	04	00	00	01	<u>/ o</u>	01	1/
0 4	12	0 1	1	08	00	00	00	<u>o</u> <u>o</u>	00	00
<u>0</u> <u>5</u>	<u> </u>	<u>o_/</u>		08	00	00	00	00	00	00
0 6	<u> 1</u> <u>3</u>	<u>03</u>	_1	27	00	00	<u>o</u> <u>o</u>	00	00	00
0 7 NOTE: USE	 E ADDITIONAL F	PAGE IF MORE TH	 HAN 7 INTRL	USIONS.						
	columns 1-8 previous card.		<u> T</u> 9 10	Format <u>0</u>	3 12					
	NO SIDE DOOF P REMAINDER	R INTRUSION, R OF PAGE.		IF DA	MAGE TO	DOOR CC	MPONENT	RESULTE	D IN INCRE	ASFD
	DOOR INT			DOOF	RINTRUSI	ION, CODE	E COMPONE	ENT		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		I William		NUMBE		DAMAGED IMPONENT 1	DAMA COMPOI	NENT 2	CODES FOR COMPONE	NTS
INTRUSIC NUMBER	R CAUSE	CODES		A	_			((0) NONE	
	F	FOR CAUSE:		22 23 B			25	((2	1) A-PILLAR 2) B-PILLAR	
13		1) DIRECT		26 27	-		29	(4	3) C-PILLAR 4) LATCH/STRII 5) HINGES	KER
16	· — `	2) INDUCED DAMAGE 9) UNKNOWN		C	-	***************************************	33		7) OTHER:	-
		,	1	D	-		37	_ (9	8) NOT APPLIC 9) UNKNOWN	ABLE

Duplicate columns 1-8 from the previous card.

Intrusion

IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

-- ADDITIONAL PAGE --

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.

CODES FOR B, F, G, H, I, J ON PAGE IT-3

CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT		E MAXIMUM INTRUSION X AXIS (cm)	F MAXIMUM INTRUSION Y AXIS (cm)		H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 8										
0 9										
<u>1 0</u>										
11									_ _	
1 2			_				· 		·	
<u>1</u> 3										
1 4										
<u>1</u> <u>5</u>										
<u>1</u> 6										
1 7										
1 8									-	
1 9										
20										
2 1			_							
22							_			
2 3										
2 4			_							
<u>2</u> <u>5</u>										

Duplicate columns 1-8 from the previous card.	Modu	le <u>I</u> <u>D</u>	Format 0 1 12		ln	TERIOR DAMAGE I	D-1
COL	(1) NO) YES) NO, and	OCCUPANT CONTACT	(4) YES, (8) NOT, (9) UNKN	APPLI	OCCUPANT CONTACT ICABLE	
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL B-PILLAR C-PILLAR D-PILLAR HEADLINING ROOF STRUCTURE T-ROOF/SUN ROOF OTHER: *	LEFT O 13 6 15 0 17 Q 19 0 21 Q 23 Q 25 0 27 0 29 Q 31 Q 33 & 35 Q 37 0 38 41 8 43	RIGHT 0 4 0 16 0 18 0 20 0 22 0 20 0 20 0 32 0 34 \(\delta \) 38 0 38 0 48 \(\delta \) 42 \(\delta \) 44	FRONT FOOT CONTROLS IGNITION KEYS REAR VIEW MIRROR SUNVISOR/FITTINGS (5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES WINDSHIELD TOP MOLDINGS LEFT A-PILLAR (UPPER OR LOWER) RIGHT A-PILLAR (UPPER OR LOWER) CENTER CONSOLE TRANSMISSION SELECTOR LEVER RIM, HORN, SPOKE		45 0 46 1 47 0 48 0 50 0 51 0 52 0 53 4 54	INSTRUMENT PANEL UPPER PANEL MID PANEL LOWER PANEL ASHTRAY CONTROL KNOBS & LEVERS GLOVE COMPARTMENT AREA INSTRUMENTS PARKING BRAKE RELEASE PARKING BRAKE PEDAL A/C OR UPPER VENT OUTLETS HEATER OR A/C DUCTS RADIO OTHER: * REAR WINDOW WINDOW HEADER CONSOLES VERTICAL	64 O 65 O 68 O 69 O 70
						ROOF	<u>8</u>


^{*} MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 Module S T from the previous card. 9 10			SEATS	,	ST-1
FRONT SEAT TYPE OF FRONT SEAT (00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE	DRIVER 0 5 13 14	PASSENTR 0 5 15 16	FRONT SEAT-BACK	Driver	PASSEN'R
(04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE (97) OTHER: (99) UNKNOWN			(3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN SEAT-BACK LOCK TYPE (0) NONE	30	31
TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	(1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	33
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	19	20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	1 34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	21		RECLINER MECHANISM HELD (0) NO (1) YES	<u>l</u>	
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u> 23	24	(8) NOT APPLICABLE (9) UNKNOWN	55	J.
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	<u>/</u> 25	<u>O</u> 26	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	38	<u>J</u>
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	27		(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	40	41
FRONT SEAT ROTATION • (0) NONE APPARENT	3	0	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	2 42	2 43
(1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	29	HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	<u>Ø</u>	45


			S	EATS	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	Passen'r	SECOND SEAT (CONT.)		
SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN ADJUSTMENT PROVIDED (1) 2-WAY	2 46 3 48	47	(0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	4	8 60
(2) 4-WAY (3) 6-WAY (7) OTHER:	48	49	SECOND SEAT-BACK LOCKS	LEFT	Rigi
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	Q 50	<u></u>	FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		
(9) ONNOWN SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	8 53.	LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED	61 63 65	62 8 64
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	2 54	<u>3</u>	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	65 67	68 68
SECOND SEAT	LEFT	RIGHT	EQUIPPED	<u>0</u>	70
TYPE OF SECOND SEAT (0) NONE		9	BACKREST DAMAGED	69 8 71	8
(1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT	56	57	CUSHION DAMAGED	73	72 8 74
(6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	58	59	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	75	<u>)</u>

Duplicate columns 1-8 from the previous card. Module A B Format (1 12	AIRBAG	AB-1
DRIVER SIDE LOCATION OF AIRBAG STEERING WHEEL EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	13	PASSENGER SIDE LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	1 16
DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	14	DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	17
CONDITION OF AIRBAG STEERING WHEEL (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED NOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	15	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDNOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	18
DRIVER SIDE AIRBAG STEERING WHEEL TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	19	PASSENGER SIDE AIRBAG INSTRUMENT PANEL (GLOVE BOX) TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	- 1
MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u>O</u> 20	MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u>O</u> 22

AIRBAG NUMBER ON DRIVER SIDE:



AIRBAG NUMBER ON PASSENGER SIDE:



NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.

Duplicate columns 1-8 from the previous card. Module O C Format 0 11	2 12	OCCUPANT INFORMATION	OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	O / 13 14 / 15	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	<u>4</u> <u>5</u> 20 21 <u>2</u> <u>5</u> 22 23
OCCUPANT POSITION ROW LOCATION (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	MASS (kg) (999) UNKNOWN (165 16) HEIGHT (cm) (999) UNKNOWN (5ft, 7in) SEX (1) MALE (2) FEMALE (9) UNKNOWN	$ \begin{array}{c cccc} $
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN	17	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DOA	<u>0</u> 4/31 32
(10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET (60) IN CHILD SEAT (65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN	1 <u>0</u>	(07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN NON-IMPACT MED. CONDITIONS (0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: (8) COMBINATION OF ABOVE (CIRCLE EACH) (9) UNKNOWN	<u>J</u> <u>4</u> 33 34 <u>O</u> 35

MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY		CHILD SEAT TYPE	T
(2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	36	(00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	88
RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG OPPLOYED (2) AIRBAG OPPLOYED (3) AIRBAG NOT DEPLOYED (4) PASSIVE UPPER TORSO USED (5) PASSIVE UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	3 37 0 38	EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, RIGHT SIDE (04) DOOR, RIGHT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, RIGHT SIDE (06) DOOR, RIGHT SIDE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW: HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION	98/44

OCCUPANT INFORMATION OC-3 **OCCUPANT EYEWEAR** SOURCE OF INFORMATION INTERVIEW HOSPITAL (2) AUTOPSY (3) POLICE 0 (3) BOTH GLASSES AND CONTACTS

(4) OTHER

(9) UNKNOWN

(5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE

(0) NONE

(4) OTHER


(1) GLASSES (2) CONTACTS

(9) UNKNOWN

(8) NOT APPLICABLE



INDICATE LOCATION OF INJURIES.



Duplicate columns 1-8 from the previous card.

NOTE: Each line in the table below is a separate record (card).


Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

Q						PHIN	MARY			A		IAIE	O OIC		COMMENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBAI START IN 1ST	BILITY (HORI WITH MOST CONTACT AF	IN ORDER OF IZONTALLY). PROBABLE REA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	BODY REGION 1	ASPECT N	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
<u>o /</u>	<u>o/</u>	82			E	<u>s</u>	<u>८</u>	I	1	_	_		_		
	02	87			E	4	<u>c</u>	I	1		_		_		
	03	87			E	R	<u></u>	I	1	_					
	04	65	87		c	<u>L</u>	F	<u>5</u>	3						
	05	31			5	L	<u>८</u>	I	1						
	06	05	52		R	R	<u>_</u>	I				_			
	07	05	52		W	_ <u>R</u>		I	_					_	RT HAND
	08	20			N		_ <u>L</u>	_	1	_					
	09	20			A					_	_				
Tor eac					_		C		1	_	_		_		
	10	56					<u>F</u>				_	_	_		
cupant	11	56	66				<u></u>			_	_	_		_	
Duplicate "Occupant Number" for each line.	12	28			1		E			_		_	_	_	
	13	05	52		W	R	<u>L</u>	$\underline{\mathcal{I}}$	1	_	_		_	_	RT Finger
					_			_	_	_	_		_		
					_		_		_	_					
V										_				_	
									_			_			
							_								

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

FRONT	OF PASSENGER COMPARTMENT	SIDES	
	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	• • • • • • • • • • • • • • • • • • • •	(19)	
` '		(13)	
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	• •	
(54)	•	(24)	COAT HOOK
	• •		
(55)	· · ·	(22)	, ,
(56)	` '	(21)	WINDOW FRAMES (SIDE)
(81)	· · ·		
(02)	GLOVE COMPARTMENT AREA	(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	A-PILLAR
		(15)	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL		C-PILLAR
(53)	PARCEL TRAY		D-PILLAR
(48)		(.,,	
(86)		FLOOR	τ
(55)	TEITHORE CONCOLL		EI COR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(40)	
(20)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	
40-1		(44)	
(09)		(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL	(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN		
		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	ROOF OR CONVERTIBLE TOP
(82)	· · · · · · · · · · · · · · · · · · ·		SUNVISOR, FITTING(S) &/OR TOP MOLDING
(83)	• •	• •	ROOF SIDE RAIL
		· ,	
(84)		1 1	COAT HOOK
(67)		(18)	
(06)		(39)	BACKLIGHT HEADER
(04)	HEATER OR AIR CONDITIONING DUCTS	(68)	ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(68)	RADIO (BUILT IN)	` ′	
(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES		OUTSIDE SURFACE OF CASE VEHICLE
(55)	TIOO. MIDDITTED CONTINUES CONCOLED	(37)	
PEAD		/ \	(SPECIFIC AREA UNKNOWN)
REAR	0.05.05.05.05.05.0	(35)	HOOD OF CASE VEHICLE
(88)		(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)	REAR WINDOW		OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
	,	(64)	TIRES OF CASE VEHICLE
INTERIO	R-GENERAL	, ,	
(11)	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	BEYOND	CASE VEHICLE BOUNDARY
(59)	·		AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
(07)		• •	
		(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT		OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
		(75)	TRUNK OF OTHER VEHICLE
(29)	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
(50)	REAR SEAT CUSHION & BACK	(78)	GROUND
(49)	ARMREST ON SEAT	(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
(00)		(00)	
(33)	RESTRAINT SYSTEM HARDWARE		OR WATER. PLEASE DESCRIBE.)
1. 1	RESTRAINT SYSTEM WEBBING	Dever	ATING OR HOTE
(34)			ATING OBJECTS
(87)	AIR CUSHION SKIN (AIRBAG)	1 1	OTHER VEHICLE
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(72)	OBJECTS (DESCRIBE)
(46)	AIRBAG GAS		
(48)		MISCELL	ANECHIS
(40)	KNEE RESTRAINT		ANECOO
(30)	KNEE RESTRAINT HEAD RESTRAINT		NO CONTACT (INVALID FIELD FORM CODE)
			NO CONTACT (INVALID FIELD FORM CODE)
(30)	HEAD RESTRAINT CHILD SEAT RESTRAINTS	(00) (38)	NO CONTACT (INVALID FIELD FORM CODE) OTHER (E.G. FIRE. DESCRIBE)
(30) (42) (43)	HEAD RESTRAINT CHILD SEAT RESTRAINTS CHILD SEAT	(00) (38) (90)	NO CONTACT (INVALID FIELD FORM CODE) OTHER (E.G. FIRE. DESCRIBE) SPARE TIRE
(30) (42) (43) (31)	HEAD RESTRAINT CHILD SEAT RESTRAINTS CHILD SEAT INTERIOR LOOSE OBJECT	(00) (38) (90) (96)	NO CONTACT (INVALID FIELD FORM CODE) OTHER (E.G. FIRE. DESCRIBE) SPARE TIRE INDUCED
(30) (42) (43) (31) (32)	HEAD RESTRAINT CHILD SEAT RESTRAINTS CHILD SEAT INTERIOR LOOSE OBJECT OTHER OCCUPANT(S)	(00) (38) (90) (96) (97)	NO CONTACT (INVALID FIELD FORM CODE) OTHER (E.G. FIRE. DESCRIBE) SPARE TIRE INDUCED EJECTED, UNKNOWN CONTACT
(30) (42) (43) (31) (32) (52)	HEAD RESTRAINT CHILD SEAT RESTRAINTS CHILD SEAT INTERIOR LOOSE OBJECT OTHER OCCUPANT(S) INTERNAL FLYING GLASS (FROM ANY SOURCE)	(00) (38) (90) (96)	NO CONTACT (INVALID FIELD FORM CODE) OTHER (E.G. FIRE. DESCRIBE) SPARE TIRE INDUCED EJECTED, UNKNOWN CONTACT IMPACT FORCE, "WHIPLASH",
(30) (42) (43) (31) (32)	HEAD RESTRAINT CHILD SEAT RESTRAINTS CHILD SEAT INTERIOR LOOSE OBJECT OTHER OCCUPANT(S) INTERNAL FLYING GLASS (FROM ANY SOURCE)	(00) (38) (90) (96) (97)	NO CONTACT (INVALID FIELD FORM CODE) OTHER (E.G. FIRE. DESCRIBE) SPARE TIRE INDUCED EJECTED, UNKNOWN CONTACT IMPACT FORCE, "WHIPLASH", HYPEREXTENSION/COMPRESSION



CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

1 BODY REGION

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

SEVERITY 5 SYSTEM/ORGAN 4 LESION 3 ASPECT 0 BODY REGION 1

5 SEVERITY (OR *AIS*, ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN





























ot Available





Δvallahle





Best Availal



























est Available





















































































